

LIGHTING

Shelley and Bill Gray

DATE: March 4, 2022



Lighting Type	Room	# of Fixtures	Notes
Exterior wall-mount	Exterior	8	Minimum 1 standard bulb or 400 lumens (each)
Ceiling flush-mount	Laundry	1	Minimum 1 standard bulb or 800 lumens
Ceiling flush or semi-flush	Entrance	1	Minimum 3 standard bulbs or 1200 lumens
Ceiling flush or semi-flush Replace with LED slim	Base of Stairs	1	Could match entrance or just coordinate with entrance Minimum 3 standard bulbs or 1200 lumens
Ceiling flush-mount	Office	1	Minimum 2 standard bulbs or 1000 lumens
Ceiling flush-mount	2 nd Bedroom	1	Minimum 3 standard bulbs or 1200 lumens
Ceiling flush-mount	Principal Bedroom	1	Minimum 3 standard bulbs or 1600 lumens
Ceiling flush-mount	Principal Closet	1	Minimum 1 standard bulb or 800 lumens
Pendants	Ensuite	2	Minimum 1 standard bulb or 400 lumens (each)
Vanity	Main Bathroom	1	24" to 42" strip, minimum 3 standard bulbs or 1200 lumens
Chandelier	Dining Room	1	Minimum 85" hanging length (including height of fixture), variable number of bulbs or minimum 1000 lumens
Pendants	Island	2	Minimum 65-75" hanging length (including height of fixture), sloped ceiling compatible, suggested diameter of 18-24", minimum 1 standard bulb or 400 lumens (each)
Ceiling flush-mount	Pantry	1	Minimum 1 standard bulb or 800 lumens
LED slimlights	Interior & Exterior	29	Supplied by electrician
Bare bulbs	Garage	4	Supplied by electrician

1 40W bulb equivalent = approximately 400 lumens; 1 60W bulb equivalent = approximately 800 lumens